

product information

Y•TEX
BRUTE[®]
Pour-on for Cattle

For Economical, Convenient, and Long-lasting Residual Control of Lice, Gulf Coast Ticks and Horn Flies on Lactating and Non-Lactating Dairy Cattle and Beef Cattle.



KEEP OUT OF REACH OF CHILDREN
CAUTION

Precautions and Use Restrictions

- When using as a surface spray in and around livestock premises, only protected handlers may be in the area during application. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Do not enter or allow others to enter treated area until sprays have dried.
- Do not breathe vapors or spray mist.
- Do not apply when food is present.
- When used in dairy barns or facilities: Close milk bulk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking.
- All outdoor applications must be limited to spot treatment.
- Not for use in outdoor residential misting systems.
- Not for indoor broadcast use.
- Not for use in commercial animal premise automatic misting systems
- Do not apply by ULV cold foggers or fog/mist generators.
- Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

Personal Protective Equipment (PPE)

Mixers, loaders, applicators, and other handlers must wear:

- Long-sleeve shirt and long pants;
- Shoes plus socks;
- Chemical-resistant gloves made of nitrile or neoprene rubber.
- Chemical-resistant apron for mixers/loaders, persons cleaning equipment, and persons exposed to the concentrate.

User Safety Requirements

- Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.
- Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

User Safety Recommendations

- User should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- User should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Active Ingredient	
Permethrin*	10.0%
(3-Phenoxyphenyl)methyl (±) cis/trans 3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate.	
OTHER INGREDIENTS†	90.0%
	100.0%

*cis/trans ratio: Min. 35% (±) cis and Max. 65% (±) trans.

†Contains Petroleum Distillates

- Long-lasting control of lice, horn flies and Gulf Coast ticks on lactating and non-lactating dairy cattle and beef cattle.
- Concentrate for dilution with diesel fuel or oil for backrubbers.
- Precise dose dispensed directly from container or dispensing gun.
- Long-lasting control of lice and mange mites on swine.
- Aids in control of biting flies, including mosquitoes, and nuisance flies on swine.
- Controls horn flies on horses for up to 2 weeks.
- Repels mosquitoes, including those that may transmit equine encephalitis and West Nile virus, for up to 5 days.
- Rain-resistant formulation.

BRUTE® product information

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

FIRST AID	
IF SWALLOWED	<ul style="list-style-type: none"> • Immediately call poison control center or doctor. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: Contains petroleum distillates. May pose an aspiration pneumonia hazard. Have the product container or label with you when calling a poison control center or going for treatment. You may also contact 1-800-255-3924 (CHEM-TEL, INC.) for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic organisms including fish and invertebrates. To protect the environment, do not allow pesticides to enter or to run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

PHYSICAL & CHEMICAL HAZARDS

Do not use or store near heat or open flame. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE AND SPILL PROCEDURES:

Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Pesticide that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility.

CONTAINER DISPOSAL:

Containers one gallon and smaller:

If empty: Non-refillable container. Do not reuse this container. Offer for recycling, if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

NOTICE OF WARRANTY:

To the extent consistent with applicable law, Y-TEX CORPORATION MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label, and in any case, is limited to replacement of product only.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL PRECAUTIONS AND RESTRICTIONS

Do not make applications during rain.

DIRECTIONS FOR USE ON CATTLE

For Dairy Cattle (lactating and non-lactating) and Beef Cattle. Shake well before using. Tilt bottle to fill measuring chamber with required dosage. Remove cap and apply to animal.	
TARGET INSECTS	APPLICATION INSTRUCTIONS
For up to 6 weeks' control of susceptible horn flies.	Apply down midline of back over shoulders.
-----	-----
For control of lice, Gulf Coast ticks and aid in control of other tick species, face flies, stable flies, horse flies, deer flies, house flies, mosquitoes and black flies.	Apply from poll down neck, over shoulders.
	Dose: (ml or cc) Weight: (lbs.)
	3 200
	6 400
	9 600
	12 800
	15 1000 & over
For control of horn flies, lice, face flies, and stable flies.	Backrubber: Dilute 48 ml (1.6 fl. oz.) in 1 gal. diesel fuel or oil. Keep rubbing device charged. Results can be improved by forced use.

For cattle repeat treatment as needed, but not more often than once every 2 weeks. For optimum lice control, two treatments at a 14 day interval are recommended.

Special Note: Brute is non-systemic and will not control cattle grubs.

DIRECTIONS FOR USE IN AND AROUND LIVESTOCK PREMISES

For use in and around livestock premises as a spot treatment. Shake well before using. Tilt bottle to fill measuring chamber with required dosage. Remove cap and apply. Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

TARGET INSECTS	APPLICATION INSTRUCTIONS
For control of house flies, stable flies and other nuisance pests in and around stables and other livestock premises.	Apply undiluted as a coarse spray or wipe directly to surface where pests crawl and alight. One fl. oz. will treat 560 ft ² . One pint will treat 8900 ft ² .

DIRECTIONS FOR USE ON HORSES

For dirty horses, shampoo and rinse thoroughly. Wear protective gloves or protective application mitt when using as a wipe-on for horses. Shake well before using. Tilt bottle to fill measuring chamber with required dosage. Remove cap and apply to animal. **Apply 3-6 ml per 200 lb. body wt. up to a max. of 30 ml. Do not treat foals under 12 weeks of age.**

APPLICATION METHOD	TARGET PEST	APPLICATION INSTRUCTIONS
Ready-to-Use Wipe-on (Preferred method for optimum control of most pest species).	For control of mosquitoes, including those that may transmit equine encephalitis and West Nile virus, black flies, face flies, horn flies, lice and ticks. Aids in control of stable flies, horse flies, deer flies, house flies, bot flies and eye gnats.	Apply as a whole body wipe with cloth or insecticide application mitt. For the first application with a new cloth or mitt, apply twice the dosage to charge the application cloth or mitt. Pay special attention to where pests congregate. * Face flies and eye gnats – apply to face and around eyes, being careful not to get product in the eyes. * Black flies – wipe the inside of the ears, under chin, throat and midline of belly. * Stable flies – wipe legs, lower shoulders and belly. * Bot flies – wipe under chin, throat, chest and legs.
Ready-to-Use Pour-on	For control of horn flies.	Apply over withers and down back. Do not apply to horses that will be ridden within 24 hours of application. Pour-on application may leave an oily residue on the coat of some animals.

Repeat treatment as needed but not more than once every 7 days.