

**SECTION 1: PRODUCT and COMPANY IDENTIFICATION**

Product Name: **Warrior™ Insecticide Cattle Ear Tag** Date Prepared: 1/27/94  
 EPA Reg. No. 39039-6 Date Revised: 5/12/2020  
 Y-TEX Corporation For Health Safety Emergency Only, Call CHEM-TEL, Inc. (24 hours): 1-800-255-3924 US  
 1825 Big Horn Ave. 813-248-0585 International  
 Cody, WY 82414 Other Information Calls: 800-443-6401, 307-587-5515 (Y-TEX)  
 (7:30am – 4:30pm MDT, Monday-Friday)

General Use: End-use insecticide ear tag for cattle

**SECTION 2: HAZARDS IDENTIFICATION**

**GHS CLASSIFICATION:**

<u>Health</u>		<u>Environmental</u>		<u>Physical</u>
Acute Toxicity:	Category 4 (Oral)	Acute Toxicity:	Unknown, See Section 12	None Known
Skin Irritation:	No	Chronic Toxicity:	Category 4	
Skin Sensitization:	No			
Eye:	No			

GHS LABEL:



SIGNAL WORD:

**WARNING**

**HAZARD STATEMENTS:**

Symbols: Exclamation – acute toxicity, Environmentally hazardous substance

<u>Hazard Statements</u>	<u>Precautionary Statements</u>
<b>WARNING</b> H302 Harmful if swallowed H413 May cause long lasting harmful effects to aquatic life	P101 If medical advice is needed, have product container or label at hand P102 Keep out of reach of children P103 Read label before use P264 Wash thoroughly with soap and water after handling P270 Do not eat, drink or smoke when using this product P273 Avoid release to the environment P301+P312 IF SWALLOWED: Do not induce vomiting unless told to do so by a poison control center or physician. Do not give anything by mouth to an unconscious person. Call a physician if you feel unwell. P330 Rinse mouth P501 Dispose of contents by securely wrapping and discarding in trash. Non-refillable container. Do not reuse. Discard in trash or offer for recycling.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

**Hazardous substance**

Chemical Name	Identifiers	%, w/w	LD <sub>50</sub>	Comments
Diazinon	CAS No. 333-41-5	30.0%	486 mg/kg oral, rat	
Chlorpyrifos	CAS No. 2921-88-2	10.0%	168 mg/kg oral, rat	

**SECTION 4: FIRST AID**

Eye Contact: Eye contact may cause mild irritation. Avoid eye contact with tags or used gloves. If contacted, flush with plenty of water.  
 Skin: Avoid skin contact by wearing chemical-resistant gloves made of rubber or any waterproof material (thickness equal to or greater than 14 mils).  
 Contact: Wash skin thoroughly with soap and water after use. If allergic skin irritation occurs, wash thoroughly with soap and water and seek medical attention.  
 Ingestion: May be harmful if swallowed. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Call physician.  
 Inhalation: No apparent hazard with normal outdoor use when following instructions on label.  
 Other: Diazinon and chlorpyrifos are cholinesterase inhibitors. Overexposure may produce any of the following possible symptoms:  
 Information: headache, giddiness, blurred vision, weakness, nausea, cramps, diarrhea, discomfort in chest, nervousness, sweating, constricted pupils, tearing and salivation. If overexposure symptoms occur, call a physician immediately. Note to physician: Diazinon and chlorpyrifos are organophosphate insecticides. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may also be administered, but only in conjunction with atropine.

**SECTION 5: FIRE FIGHTING MEASURES**

Flash Point (method): Not Applicable Autoignition Temperature: Not Determined LEL: Not Applicable UEL: Not Applicable  
 Flammability Classification: Not Applicable  
 Extinguishing Media: Large fire: water fog or foam. Small fire: CO<sub>2</sub> or dry chemical. Minimize water use and contain runoff.  
 Hazardous Combustion Products: Thermal decomposition products include but are not limited to various aliphatic organophosphates, substituted pyrimidines, hydrogen cyanide, CO & CO<sub>2</sub>. HC1, phosgene and chlorine gases are possible combustion products.  
 Unusual Fire or Explosion Hazards: If fire seriously threatens large storage of tags, personnel should evacuate the area as toxic and irritating gases may be formed.  
 Fire-Fighting Instructions/Equipment: (For a large quantity of product) Wear protective clothing including rubber gloves and boots and self-contained air supply (SCBA). Remain upwind if possible. Runoff must be contained due to fish toxicity.

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

Use recommended personal protective equipment (see Section 8). Small Spill: Solid product. Not applicable. Large Spill: Solid product. Not applicable.

**SECTION 7: HANDLING AND STORAGE**

Handling: Keep out of reach of children. May be harmful if swallowed. Harmful if inhaled or absorbed through skin. Causes moderate eye irritation.  
 Precautions: Avoid contact with eyes, skin or clothing. Avoid breathing vapors. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Wear chemical-resistant gloves made of rubber or any waterproof material (thickness equal to or greater than 14 mils) when applying tags.  
 Storage: Store in original container in a cool place away from direct sunlight. Opened bags containing ear tags should be resealed for  
 Requirements: storage.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

EXPOSURE LIMITS:	Component	U.S. OSHA PEL	ACGIH TLV
	Diazinon		0.1 mg/m <sup>3</sup> (skin)
	Nuisance material (inert)	15 mg/m <sup>3</sup>	10 mg/m <sup>3</sup>
	Chlorpyrifos	(TWA 0.2 mg/m <sup>3</sup> )	
Eye/Face Protection:	None required	Skin Protection: Chemical-resistant gloves made of rubber or any waterproof material	
Respiratory Protection:	None required	Engineering Controls:	None required
Administrative Controls:	Use this product only as specified on the label.		Other Information: See Section 7

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Appearance/Physical State:	Solid, molded plastic ear tag, green color		
Odor:	Mild, mercaptan, sulfur-like odor	Odor Threshold (ppm):	Not applicable
		pH:	Not applicable
Melting Point:	Approx. 150°C (302°F)	Boiling Point:	Not applicable
Flash Point:	Not applicable	Evaporation Rate:	Not applicable
Flammability (solid, gas):	Solid, nonflammable	LEL:	Not applicable
		UEL:	Not applicable
Vapor Pressure (mm Hg):	2 x 10 <sup>-4</sup> for diazinon at 20°C; 1.87 x 10 <sup>-5</sup> for chlorpyrifos at 20°C		
Vapor Density (Air = 1):	Not applicable	Relative Density:	1.18 g/cc (15 g/tag)
Specific Gravity (H <sub>2</sub> O = 1):	Not applicable		
Solubility in Water:	Essentially insoluble (Diazinon = 40 ppm at 20°C; Chlorpyrifos = 1.2 ppm at 20°C)		
Coefficient of Water/Oil solubility:	Not applicable	Autoignition Temperature:	Not applicable
Decomposition Temperature:	Not applicable	V.O.C.:	Not applicable

**SECTION 10: STABILITY AND REACTIVITY**

Chemical Stability:	Stable	Hazardous Polymerization:	Will not occur
Conditions to Avoid:	Do not store near heat or open flame. Lengthy storage at high temperatures will promote the migration of active ingredients out of tags, potentially reducing activity.		
Chemicals to Avoid:	None known		
Hazardous Decomposition Products:	Thermal decomposition products include but are not limited to various aliphatic organophosphates, substituted pyrimidines, hydrogen cyanide, CO & CO <sub>2</sub> . HC1, phosgene and chlorine gases are possible combustion products.		

**SECTION 11: TOXICOLOGICAL INFORMATION**Acute Effects:

Eyes:	Eye contact may cause mild irritation. Avoid rubbing tags in eyes. If contacted, flush with plenty of water.		
Skin:	Acute dermal LD <sub>50</sub> >5050 mg/kg (male & female albino rabbits). Skin irritant: No (albino rabbits). Skin sensitizer: No (guinea pigs). Avoid skin contact by wearing chemical-resistant gloves made of rubber or any waterproof material (thickness equal to or greater than 14 mils). Wash thoroughly with soap & water after use.		
Ingestion:	Acute oral LD <sub>50</sub> >500 mg/kg (rats, for whole tag). May be harmful if swallowed. Do not store near food products.		
Inhalation:	No apparent hazard with normal outdoor use.		

Chronic Effects

Eyes:	Not Determined	Carcinogenicity:	None known
Skin:	Not Determined	Target Organ Effects:	Not Determined
Ingestion:	Not Determined	Medical Conditions Aggravated by Long-term Exposure:	None presently known
Inhalation:	Not Determined	Sensitization to Product:	Skin-No (guinea pigs)
		Irritancy of Product:	Skin – No (albino rabbits)

**SECTION 12: ECOLOGICAL INFORMATION**

This product is highly toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not contaminate water by disposal of used tags. Use this product only as specified on the label.

**SECTION 13: DISPOSAL CONSIDERATIONS**

Pesticide Disposal:	Remove tags before animal slaughter. Securely wrap used tags in a plastic bag and discard in trash. Do not reuse tag container. Discard in trash.
Container Disposal:	Non-refillable container. Do not reuse bag. Discard bag in trash or offer for recycling if available.

**SECTION 14: TRANSPORT INFORMATION**

<u>U.S. DOT:</u>	Not regulated for transport
<u>IATA:</u>	Not regulated for transport
<u>IMO/IMDG:</u>	UN 3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., (Diazinon and Chlorpyrifos mixture), Class 9, PG III, Limited Quantity, Marine Pollutant

**SECTION 15: REGULATORY INFORMATION**

Diazinon and Chlorpyrifos are on the U.S. EPA's Section 313 TRI Reporting list

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

**WARNING.** May be fatal if swallowed. Harmful if inhaled or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing vapors. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Do not contaminate food or feed.

**NOTE TO PHYSICIAN:** Diazinon and chlorpyrifos are organophosphate insecticides. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine.

**SECTION 16: OTHER INFORMATION**

Revision date: May 12, 2020	USA EPA Reg. No.: 39039-6; USA Establishment No.: 39039-WY-01		
Argentina, Cert. No. 99.230	Australia, APVMA Reg. No. 51524	Brazil, Lic. Min. Agri. No. 8.253	Chile, Reg. SAG No. 1561
Colombia, Reg. ICA No. 5454-DB	Uruguay, nro. A-3588	Venezuela N° Registro P.I. 10.780	Puerto Rico Reg. No. 19-1514-2
Bolivia: SENASAG PUV-F N° 008348/18	Paraguay: No. 17071	Mexico Reg. No. RSCO-MEZC-PEC-0120-0115-X0003-373-40.0	

The information contained herein is based on data available to us and is accurate and reliable to the best of our knowledge and belief. However, Y-TEX Corporation makes no representations as to its completeness or accuracy. Information is supplied on condition that persons receiving such information will make their own determination as to its suitability for their purposes prior to use. In no event will Y-TEX Corporation be responsible for damages of any nature whatsoever resulting from the use of or reliance upon the information contained herein.